

Institute of Advanced Energy

Kyoto University



2020

Foreword



Director

Yasuaki Kishimoto

A handwritten signature in black ink that reads "Yasuaki Kishimoto". The signature is fluid and cursive, with the last name "Kishimoto" written in a smaller, more compact script below the first name.

Solar energy, regarded as the origin of life, is produced by nuclear fusion in the extreme conditions at the core of the Sun, and reaches the Earth as light energy, which nurtured terrestrial life over a billion years. In the vast space-time scale of the universe, energy has created the biosphere harmonized with the rich planetary environment, changing the form and shape through nature's ingenious mechanisms. With the various energy-related problems emerging in the current 21st century, a new approach of energy science is desired, which explores next generation energy based on the broader perspectives encompassing the entire coordination of nature.

The Institute of Advanced Energy was established in May 1996 for the purpose of exploring the next-generation energy by probing into the laws and basic principles of nature, and of developing the state-of-the-art technologies to utilize them for practical applications. For this purpose, 14 sections of research areas are organized as three divisions, each dedicated to one of the three basic kinds of energy processes: generation, conversion, and utilization of energy. On top of this, we set up the Laboratory for Complex Energy Processes which also includes 3 sections of research areas. This laboratory organically integrates all the disciplines to enable us to tackle complex energy related issues. Furthermore, we actively promote the internationalization of research and return the fruits of our research back into society incorporating with industry-academia-government collaboration. The institute is also in charge of the Graduate School of Energy Science's Cooperating Chair, which conducts student education and trains researchers in a leading-edge research environment.

The Institute of Advanced Energy focuses on two core research areas: "Plasma and Quantum Energy Science" and "Soft Energy Science". The first topic deals with the generation of energy by nuclear fusion on Earth, which is equivalent to that created in the Sun. The second topic addresses the development of methods for highly efficient energy based on the principles of biology and materials science, which has created the biosphere the Earth's environment. The form and shape of these two energy sources seem different. However, plasma, in which nuclear fusion takes place, has been found to be a highly autonomous medium that spontaneously forms a variety of structures and dynamics similar to those of living organisms.

The Institute has coordinated these phenomena in the wide energy range to create a new energy philosophy incorporated with that referred to as "Zero-Emission Energy". We collaborate with researchers across a broad range of academic fields in Joint Usage/Research Center programs. We hope to develop the breakthrough of energy that will lead the 21st century through the active merging of research in the wide energy range, similar to the creation of beautiful patterns of fabric interwoven from threads of various forms and shapes.

To achieve this end, all of us at the Institute are committed to engaging in extensive discussions, bringing our collective wisdom together, and driving our research and administration under Kyoto University's culture of academic freedom. We look forward to your continued support and cooperation.



CONTENTS

Foreword	1
Mission and Goal	3
Organization Chart	4
History	5
Overview of Divisions and Faculty Members	7
▶ Advanced Energy Generation Division	
▶ Advanced Energy Conversion Division	
▶ Advanced Energy Utilization Division	
▶ Laboratory for Complex Energy Processes	
Adjunct Faculty Members	24
Overview of Laboratory for Complex Energy Processes	25
Organization of Research Projects in the Laboratory	27
Major Projects	28
Research Facilities	33
Education and Social Activities	37
International Activities	39
Data	41


Mission and Goal

The Institute of Advanced Energy (IAE) was established to promote researches to sophisticate the generation, conversion, and utilization of energy. Our goals are (a) to conduct pioneering research on advanced energy science and technology, (b) to propose solutions to energy and environmental issues associated with rapid global population expansion, (c) to contribute to the sustainable progress of humankind.


We perform comprehensive approach towards development of next-generation energy systems, which have the potential to replace existing energy systems, with two viewpoints, Quality (harmonization with the environment) and Quantity (social infrastructure). In order to secure sustainable energy resources or systems, our research activities emphasize improving the performance of energy systems, developing new energy resources, and realizing systems for effective use of energy resources, which can be named as Zero-Emission Energy System. Moreover, through these endeavors, we aim to foster scientists and engineers who possess advanced knowledge and skills in energy science and technology.

To meet our objectives, we strive to further develop the research field of Advanced Energy (or Zero-Emission Energy) by building an innovative energy system that has high social receptivity, as well as by developing a system capable of incorporating various sources of energy. Human and research resources at IAE, which are from diverse academic backgrounds, will be strengthened and organically coordinated among different research fields, thereby promoting interdisciplinary and fused research. IAE serves as a hub for advanced energy research in Japan and around the globe.


These activities will further pioneer and develop advanced energy research to bridge us to the next generation and contribute to the growth of society.



Organization Chart



Organization for Zero-Emission Energy Research Project



History



Engineering Research Institute



10th Anniversary of Kyoto University Engineering Research Institute




Institute of Atomic Energy



Institute of Advanced Energy Inaugurated

Institute of Advanced Energy

Plasma Physics Laboratory ←



Start of "Joint Usage/Research Program on Zero-Emission Energy" (2016-2021) ◀ **2016**

Start of "Joint Usage/Research Program on Zero-Emission Energy" (2011-2015) ◀ **2011**

2010 ▶ NMR

Laboratory for Complex Energy Processes reorganized ◀ **2006**

National University Corporation Kyoto University ◀ **2004** ▶ Laboratory for Photon and Charged Particle Research, DuET, KU-FEL
▶ Laboratory for Energy Nano-Science Research

1999 ▶ Heliotron J

Institute of Advanced Energy
Laboratory for Complex
Energy Processes ◀ **1996**

1983 ▶ Plasma Energy Direct Energy Conversion Laboratory

1981 ▶ High Temperature Liquid Sodium Heat Transfer Experimental Facility


1980 ▶ Heliotron E

1976

▶ Heliotron DM

▶ Magneto Plasma Research Laboratory

Energy



Heliotron J



DuET



NMR



KU-FEL

Division Introduction

Advanced Energy Generation Division

We promote the development of socio-friendly and fundamental "zero-emission energy system" that should be an inevitable issue sustainable future of humankind, and innovative energy sources with particular function including their application technology.

Advanced Energy Conversion Division

Aiming at the efficient conversion of energy functions and the generation of new energy functions, this division studies fundamental energy-material interaction and its applications, efficient energy-conversion processes, and the development of functional energy materials.

Advanced Energy Utilization Division

The aim of division is the establishment of 'Emergent Materials Science' having a similar concept seen in energy-related processes in nature, efficiently converting 'soft energy' into 'electricity' and 'valuable chemicals' without huge consumption. The research projects ongoing cover the researches of energy-related materials sciences, chemistry and biosciences for the development of new technologies for renewable energy conversion and utilization.

Laboratory for Complex Energy Processes

This Laboratory is a core research center for strategic and multidisciplinary collaboration studies in IAE, offering cooperative project activities in the field of the advanced energy. The Center has three divisions: (1) "Division of Plasma and Quantum Energy Research", for fusion and related advanced energy studies, (2) "Division of Soft Energy Science Research", that promotes innovative functional materials based on nanotechnology and biotechnology, and (3) "Division of International and Industrial Partnership" that promotes and enhances activities and relationship with foreign and domestic research partners including industry and private sector. Corresponding to the two research areas, "High-Temperature Plasma Equipment Engineering", "Broad Band Energy Science" sections, and the Donation Program "Environmental Microbiology Research Section" belong to the Laboratory.

Interactions among Divisions

The Institute of Advanced Energy has three divisions including "Advanced Energy Generation Division", "Advanced Energy Conversion Division", and "Advanced Energy Utilization Division". Each division conducts distinct research from their own viewpoints as described in next section. In addition to these researches, interdisciplinary research is also necessary to develop advanced energy indispensable for the sustainable development of humankind and to realize next generation energy systems, especially our current targeted energy, "Zero-Emission Energy".

Towards this goal, the Laboratory for Complex Energy Processes has been promoting interdisciplinary collaborative research projects among three divisions since the establishment of the laboratory. Such collaborations through the projects now focused on two research fields of "Plasma & Quantum Energy" and "Soft Energy". This multilayered structure of our research activities has enhanced the comprehensive capabilities of the institute, thereby creating a unique research institute that differs from the other energy related institutes.

Quantum Radiation Energy Research Section

Research on Generation and Application of New Quantum Radiations, i.e. Compact MIR Free Electron Laser, Table-Top THz coherent radiation, and Laser-Compton Gamma-ray. International collaboration research on efficient utilization of low rank coal and biomass and renewable implementation in ASEAN.



Professor
Hideaki Ohgaki



Associate Professor
Toshiteru Kii




Assistant Professor
Heishun Zen



Program-Specific
Assistant Professor
Jordi Cravioto Caballero


Generation and Application of New Quantum Radiation

Generation and application of new quantum radiations from relativistic electron beams have been studied. Free electron laser, which is generated by a high brightness electron beam from accelerator, is considered as one of new generation radiation sources. FEL is tunable laser with a high power. We have developed a thermionic cathode RF gun with our original RF control system to generate mid-infrared FEL with compact accelerator system. In 2008 we succeeded in FEL power saturation at $13.6 \mu\text{m}$ in wavelength and now the FEL can provide the intense laser light in the wavelength region from 3.4 to $26 \mu\text{m}$. As application researches, we promote the mode-selective phonon excitation experiment to study on wide-gap semiconductors in cooperation with in-house users as well as outside users. Generation and application of Laser-Compton Gamma-ray beam has been studied for the nuclear safeguard and nuclear security. A short period undulator consists of bulk high Tc superconducting magnet and table-top THz coherent radiation have been studied as well.





Wavelength Tunability of KU-FEL

This graph shows the wavelength tunability of KU-FEL. We can freely change the FEL wavelength from 3.4 to $26 \mu\text{m}$ by changing the electron beam energy from 36 to 20 MeV . The spectral width of the FEL is around $1\text{--}3$ percent in FWHM.



Principle of FEL

Generation of Free Electron Laser (FEL) is based on the micro-bunching phenomenon driven by a high brightness electron beam which interacts with electro-magnetic field.



Isotope CT by using Laser-Compton Gamma-ray beam

Isotope mapping by using Laser-Compton Gamma-ray beam generated in collision of electron beam and laser has been developed to apply nuclear safeguard.

Advanced Atomic Energy Research Section

We design and develop the zero-emission energy system powered by fusion, from its generation to utilization, and analyze it from environment, socioeconomics, and sustainability aspects.



Professor
Satoshi Konishi



Junior Associate Professor
Juro Yagi



Assistant Professor
Keisuke Mukai


Design, Development and Assessment of Fusion Energy Systems

Zero-emission energy system that has little constraints of resource and environment is expected to provide ultimate solution for sustainable development of human in the global scale.


We study the fusion system design and development, as well as the integrated evaluation from social and environmental aspects. Development of new fusion device to generate neutron beam, conversion of fusion energy, and its application for the production of clean fuels are performed. Fusion is investigated from its generation to the application and adaptation to the future society. We are one of the leading research team of fusion technology, and regarded as a key station of international collaboration. Study of "Sustainability" on energy and environment is also our major topic.

Fusion blanket research

Fusion reactor requires blanket that utilizes neutron to produce fuels. Experimental system for fusion neutron behavior in the simulated assembly with an integrated material system is established as the 1st attempt in the world. Vacuum sieve tray (VST) concept developed by our group is tested to demonstrate the efficient recovery of heat and fuel tritium from liquid lithium lead circulating fusion blankets. Tritium pumping system to reduce tritium inventory in a fusion reactor and impurity reduction method in liquid metal to improve material compatibility are also investigated.



Concept of Fusion-Biomass Hybrid system



Fusion Blanket experiment with fusion neutron source (right), vacuum sieve tray experimental setup (left)

Advanced Plasma Energy Research Section

High-power microwave system and high-power neutral beam injection for plasma heating and current drive, and plasma diagnostics using microwaves and beam emission spectroscopy are being developed by controlling charged particles and electromagnetic field.



Professor
Kazunobu Nagasaki



Associate Professor
Shinji Kobayashi


Development of Advanced Energy by electromagnetic waves and particle beams

Advanced and innovative control methods for the collective behavior of charged particles are being developed in this research section to bring about enormous contributions to the human beings. Emphasized are particularly studies of nonlinear interactions between charged particles and electromagnetic fields. Production, heating, current drive and MHD suppression of fusion plasmas by electron cyclotron resonance are studied by using high-power microwave sources such as magnetrons and gyrotrons and neutral beam injection system. Application of microwaves is also targeted for development of heating and current drive systems. Neutral beam injection system based on high power hydrogen ion sources is used for an attractive scheme for sustainment of high-density plasmas and an effective active actuator of momentum and plasma current, which enables us to control the plasma transport to a preferable plasma confinement condition. In order to realize optimization of magnetic configuration in helical devices, we originally designed and constructed an advanced helical device, Heliotron J in Kyoto University. In the Heliotron J device, we have been also developing plasma diagnostics such as radiometers, reflectometers and active beam spectroscopic systems (charge-exchange recombination spectroscopy and beam emission spectroscopy) to understand the heat, momentum and particle transport. Particle and heat transport in magnetically confined plasmas are studied by computational simulation using transport analysis codes based on heat absorption profile calculations.




High-power microwave source "Gyrotron"

A gyrotron produces a Gaussian-shaped microwave beam of 70 GHz 500 kW power, which is used for production, heating and current drive of fusion plasmas.



Neutral beam injection system and active beam spectroscopy for Heliotron J

Two beam lines of neutral beam injection system has a maximum applied voltage of 30 keV and maximum injection power of 0.7 MW, respectively. Active beam spectroscopy, charge exchange and beam emission spectroscopies, are being developed to obtain spatiotemporal structure of density, temperature and flow velocity and their fluctuations.



Performance improvement of magnetically confined plasmas by control and suppression of instabilities

Our aim is to have good plasma confinement by means of the control and suppression of several kinds of unfavorable instabilities in high-temperature plasmas, based on experimental and numerical studies. In particular, we are interested in the resonant wave-particle interaction, which leads to risky degradation in a fusion plasma and are commonly observed in nature.

Complex Plasma Systems Research Section

Investigating complex properties in high-temperature plasmas in Heliotron J device based on the various plasma diagnostic and analysis techniques



Associate Professor
Takashi Minami



Associate Professor
Shinichiro Kado



Assistant Professor
Shinsuke Ohshima

Professor (Concurrent)
Kazunobu Nagasaki

Controlled thermonuclear fusion energy is regarded as one of the promising future base load power plants from the viewpoints of resource abundance, less environmental load and nuclear proliferation resistance. Its realization relies on the investigation of high-temperature, high-density magnetized plasma confinement. The research of plasma – the fourth state of matter – includes its feature of collective particles of electrons and ions in motion and its feature of magneto-fluid. Energy distribution of the particles or the orbit in the magnetic field will be a key issue in the former case, while the treatment of instability and turbulence will be a key in the latter case. In our laboratory, we are investigating such a complex plasma behavior in Heliotron J, a helical plasma confinement device, by means of various kinds of diagnostics or simulations. For the purpose of achieving better plasma particle and energy confinements, “plasma control schemes”, such as magnetic configurations, heating conditions and fueling scenarios, are being investigated.

Probing What Is Real in Plasma Using Optical Emission

Optical emission from plasmas includes plenty of information such as density, temperature, ionic species and their fluctuations. “Know the enemy (plasma) and know yourself (measurement methods and data), then you can fight the hundred battles without fear” —the real plasma properties that have never been known to anyone will be in our hands.



Plasma emits various line spectra as can be seen through a simple grating film. One can draw huge amount of information from the high-grade spectrographs.

Temperature and density diagnostic for super-high temperature plasma using the latest laser and optical technologies


Plasma exists over wide scale range from super-low to super-high temperature and density. If you can know the exact density and temperature, you can know the real plasma properties. We are developing the Nd:YAG laser Thomson scattering diagnostic system based on the latest laser and optical technologies. We will explore the world of over-100-million-degree temperature plasmas into which any diagnostic instruments cannot be inserted.



Nd:YAG laser Thomson scattering system installed in Heliotron J

Characterization of Plasma Turbulence Based on Spectral Analysis

Confined plasma is, in reality, far from calm. There are many types of turbulent fluctuations growing from the non-uniform plasma parameters. They enhance the transport and degrade the plasma confinement property. For the characterization of the turbulence, we applied various kind of spatiotemporal spectral analysis methods and trying to figure out the correlation between the turbulence and the plasma confinement.



Measurement and signal processing for the turbulent plasma fluctuations. Various spectral analysis techniques are useful for determining the eddy size, frequency and non-linear coupling of the turbulences.

Advanced Energy Materials Research Section

Novel materials are developed with resistance for severe environment based on material design.




Associate Professor
Tatsuya Hinoki

Professor (Concurrent)
Kazunari Matsuda

R&D of ceramic material for advanced energy application

The research activity puts emphases on R&D of the advanced ceramic matrix composites like SiC composites reinforced with SiC fibers with 10 μm diameter for aerospace, nuclear advanced fission and fusion application utilizing nano-technique. The R&D include development of novel materials, applications and environmental effects from basic science through engineering. Many collaborative researches are ongoing with domestic and international institutions in US, Italy and OECD.




Development of Particle Dispersion SiC Composites

Interphase between fiber and matrix is the weakest link for conventional SiC composites in terms of environmental effect. Novel SiC composites with particle dispersion SiC matrix was developed without the interphase. The SiC composites have excellent oxidation and corrosion resistance.

Ion irradiation effect on advanced materials

Material properties are affected by neutron irradiation under nuclear fusion and fission environment. Irradiation effect of advanced materials like ceramic matrix composites are evaluated by ion irradiation utilizing DuET. Novel materials are developed based on understanding of swelling behavior and microstructure change of constituents.



Irradiation effect on SiC composites

High purity SiC ceramics are stable under neutron irradiation. It was found that SiC fibers are affected significantly due to impurities like carbon depending on irradiation conditions.

Advanced Laser Science Research Section

The use of lasers enables us to provide energy to the target materials and monitor their real-time change without any physical contact. We fully utilize such properties of lasers to synthesize nanomaterials and carry out the real-time monitoring of their dynamics.




Associate Professor
Takashi Nakajima

Professor (Concurrent)
Kazunari Matsuda


In-situ synthesis and real-time analysis of nanomaterials using lasers

Typical strategies to modify the film properties are to introduce a multilayer structure or nanoparticles in the film matrix. Our aim is to develop a new technique to in-situ synthesize nanoparticles in the film matrix using a laser, and utilize them for new optical devices. Another important subject we are working on is to develop a new optical technique to monitor the formation of nanobubbles during the electrolysis with an aim to improve the efficiency of water electrolysis for the efficient production of hydrogen gas.



Optical detection of bubbles during electrolysis

By clarifying the formation process of hydrogen bubbles during the water electrolysis by laser scattering technique we can design better electrodes with optimized morphology.



In-situ synthesis of polymer-metal nanocomposite film

By irradiating a CO₂ laser at 1 W for 10 sec the polymer film with a precursor of nanoparticles turns into nanocomposite films.

Advanced Energy Structural Materials Research Section

Innovative structural materials R&D with focusing on nanoscale structural control, and basic research for understanding materials performance and behavior



Associate Professor
Kazunori Morishita




Assistant Professor
Kiyohiro Yabuuchi

Professor (Concurrent)
Kazunari Matsuda

Multiscale Modeling of Irradiation Processes of Fusion Materials

Many international programs are being underway for developing nuclear fusion reactors, which are one of the promising earth-friendly candidates for future energy sources. Material's issues are of critical importance, because reactors' integrity is basically determined by the component materials that suffer from severe irradiations. For developing irradiation-resistant materials, the database on materials' behavior during irradiation is required. However, they should reluctantly be obtained using the alternative, existing irradiation facilities such as fission reactors and ion accelerators, because of no actual fusion reactors at present. To overcome the difficulties caused by the difference between the two environments, a methodology to predict material's behavior in the actual environment using the existing materials' data is required. Our efforts have been made to establish the methodology. Molecular dynamics, kinetic Monte-Carlo, ab-initio calculations, and rate-theory equations are powerful tools to understand radiation damage processes, which occur at a wide variety of time and length scales.



Multiscale radiation damage process


Radiation damage processes show different behavior depending on time and length-scales that you are observing. To understand these multiscale phenomena, various investigation methods using computer simulations and experiments should complementarily be employed.

R&D of fusion reactor materials

We study the materials for divertor and blanket to realize fusion reactor. It is essential for fusion reactor to develop plasma facing material. Plasma facing material is used under the high heat flux and high energy particle irradiation such as neutron. Especially, the property degradation due to the high energy particle irradiation (irradiation embrittlement) is one of the most important issues for lifetime of fusion blanket. It is required to predict the degradation for the design and economy. We study the irradiation embrittlement using an ion accelerator, DuET. DuET has two beam line, heavy ion beam and He ion beam, and it enable the irradiation experiment under the condition close to the fusion reactor. We join various domestic and international project to realize the fusion reactor.

Fundamental study for materials science

Lattice defects play an important role in the various issues and property changes in materials. Ion accelerator has been well known as the way to induce oversaturation point defects into materials and has contributed to the development of materials science. We study on the point defects in materials using the ion accelerator to elucidate the fundamental theory of materials science. Moreover, we develop the materials with higher or new properties by nano-meso microstructure control.




The interaction between vacancy cluster induced by ion accelerator and a dislocation: comparison between experimental study and computational study.

Nano Optical Science Research Section

We are studying about development of novel optical science and its application for energy based on nano-science from the viewpoint of solid state physics, material science, and device engineering.



Professor
Kazunari Matsuda




Associate Professor
Yuhei Miyauchi



Program-Specific
Assistant Professor
Taishi Nishihara


Development of Novel Optical Science and its Application for Energy

The research objectives in our group are “development of novel optical science and its application for energy based on nano-science”. We are trying to open new horizon on the energy science by introduction of nano-materials, quantum optical physics, and device application. The understanding of physics of emerging quantum optical phenomena in extreme low-dimensional materials are important issues toward next generation light energy sciences.



1) Photophysics and Applications of Nanomaterials

Our research focuses on photophysical properties and applications of nanomaterials including carbon nanotubes, graphene, and atomically thin semiconductors in which distinct quantum effects dominate their physical properties. We make use of advanced optical spectroscopic techniques to clarify the physical properties of nanomaterials for developing novel energy-efficient information processing, bioimaging, and photon energy conversion technologies.




Images of optical experiment

(a), schematic of exciton dynamics in carbon nanotube with an artificially-introduced localized state (b), up-conversion luminescence image of an ensemble carbon nanotube sample (c), micro-photoluminescence image of an individual carbon nanotube, comparison of the Stokes and up-conversion luminescence spectra from an individual nanotube.

2) Ultrafast phenomena in atomically thin-layered materials

Atomically thin-layered material including graphene comprising from monolayer carbon atoms has attracted much interest for both fundamental research and practical application because of exotic quantum states. We have investigated two dimensional transition metal dichalcogenides (MX_2 ; $\text{M}=\text{Mo}, \text{W}$, $\text{X}=\text{S}, \text{Se}, \text{Te}$) as the layered material with coupled spin and valley indices of charge carriers (valley-pseudospin) mainly by ultrafast spectroscopy based on femtosecond laser: Generation and relaxation dynamics of electron-hole pairs, neutral excitons and charged exciton, was revealed and control of optical properties by field effect transistor (FET) device fabrication was achieved. Now the ultrafast spectroscopic technique with device fabrication is engaged in ultrafast control of valley-pseudospin phenomena in the two dimensional transition metal dichalcogenides.



A setup of ultrafast transient reflection spectroscopy based on femtosecond laser (a) and ultrafast carrier dynamics in two-dimensional transition metal dichalcogenides (b)

The ultrafast spectroscopy system based on femtosecond laser with high-repetition rate can measure time-resolved optical properties including transient reflection with femtosecond time resolution and high signal-to-noise ratio. Right figure shows ultrafast optical response of two-dimensional transition metal dichalcogenides MoSe_2 measured with the ultrafast spectroscopy system. It allows us to reveal physical mechanism underlying ultrafast dynamics including generation and relaxation process of the electron-hole pair, neutral exciton and charged exciton.

Chemical Reaction Complex Processes Research Section

We are studying materials and systems to realize renewable energies like photovoltaics and bioenergy as the major primary energy source for human beings. We are conducting innovative researches that cover the phases from basic research to applications mainly based on electrochemistry and biochemistry.



Professor
Toshiyuki Nohira




Associate Professor
Tsutomu Kodaki




Assistant Professor
Takayuki Yamamoto

Development of new production processes for solar silicon utilizing molten salt electrolysis

Crystalline silicon solar cells are the most spreading in the world owing to the advantages of high efficiency, high durability, harmlessness for the environment, and abundant resources. Naturally, they are expected to play a major role in the era of full-fledged dissemination of solar cells. However, high purity silicon (or solar-grade silicon, 6N purity), which is necessary for the solar cells, is currently produced by a similar method that was developed for the production of semiconductor-grade silicon (11N purity). A new production method of solar-grade silicon is required because the conventional production method has the disadvantages of low energy efficiency, low productivity, and high cost. From this background, we have proposed a new production method of silicon from the purified silica (SiO_2) feedstock by using molten salt electrolysis. We have already verified the principle of the method, and are now tackling the development of continuous electrolysis process and the improvement of purity. Also, we have proposed a new production method of crystalline silicon film by molten salt electroplating. For this method, we have already confirmed the principle as well. We are now taking on the improvement of film quality and the utilization of SiCl_4 as a silicon source.




A new production method of solar-grade silicon by the electrochemical reduction of silica in molten salt



A new production method of silicon films for solar cells by the molten salt electroplating

Highly efficient energy production from biomass


The more efficient use of biomass is demanded to solve the global crises such as exhaustion of fossil fuel and global warming. Our group is focused on the highly efficient production of ethanol from biomass using genetic manipulation, protein engineering, and ionic liquid pretreatment.



Strategy for construction of efficient ethanol production system from biomass

Development of next-generation batteries using highly-safe ionic liquid electrolytes

Renewable energy resources such as solar and wind power are intermittent resources, and their power generations are largely dependent on the weather. Thus, introduction of a large amount of renewable energy requires large-scale power storage systems such as large-sized batteries. Although current lithium-ion batteries are candidates for large-sized batteries, scarce resources (lithium, cobalt) and flammable electrolytes (organic solvents) are used as main components, which will be a major barrier for the widespread distribution in the future. Therefore, we are now developing next-generation batteries utilizing abundant resources (sodium, potassium, etc.) and safer electrolytes (ionic liquids).



Principle of potassium-ion battery

Molecular Nanotechnology Research Section

Nanoscience and technology, ultimate method for producing new materials assembling from single molecules, are studied for energy sector such as organic transistors and solar cells.




Professor
Hiroshi Sakaguchi



Assistant Professor
Takahiro Kojima



Assistant Professor
Shunpei Nobusue




Bottom-up synthesis of graphene nanoribbons

Extremely narrow carbon wires developed by our bottom-up surface synthesis technique.


Nanoscience and technology using single molecules

Nanoscience and technology, ultimate techniques for producing new materials assembling from single molecules, are desired to apply in energy sector. Highly efficient devices such as field-effect transistors, solar cells, batteries could be realized by using nanotechnology. We have developed "Electrochemical Epitaxial Polymerization" technique which is a totally new molecular assembling technique of molecular wires on metal surface from single molecules using intense electric field at solid- solution interface (electric double layer). Also, "radical-polymerized chemical vapor deposition" technique which is totally new method to produce graphene nanoribbons using high concentration of monomer radicals at interface between substrate and gas has been developed. Unprecedented molecular-wire materials consisting of carbon for energy usage will be developed by the use of these techniques. Polycyclic aromatic hydrocarbon molecules for a monomer of molecular wire and for molecular electronics will be synthesized using our new methodology. Organic electronic devices such as field effect transistors, photovoltaics, batteries and photocatalysis will be developed using our new techniques.




Bio-mimetic surface synthesis of graphene nanoribbons

GNRs can be produced by bio-mimetic principles consisting of chiral transformation, of designed z-bar-linkage precursors, self-assembly, homochiral polymerization and dehydrogenation.



Conducting polymer wires array

Conducting polymer wires array on metal surface by the use of 'Electrochemical Epitaxial Polymerization' technique.



Strain-induced skeleton rearrangement of hydrocarbon molecules on surface

Designed spring molecules on Cu surface can be transformed into the functional fluvalene skeleton.

Biofunctional Chemistry Research Section

Our research group is exploring the design and the construction of biomacromolecules "tailored" for pursuing highly efficient energy utilization.



Professor
Takashi Morii



Associate Professor
Eiji Nakata



Assistant Professor
Shun Nakano




Program-Specific
Assistant Professor
Huyen Thi Thu Dinh

A design principle of functional biomolecules for highly effective energy utilization


A transition to renewable energy technologies requires new chemistry to learn from nature. It is our challenge to understand the efficient bioenergetic processes of nature and to construct human-engineered energy utilization systems. The research interests in our group focus on the design and assembly of biomacromolecules for energy conversion, catalysis and signal transduction in water, the solvent of life.

We take synthetic, organic chemical, biochemical and biophysical approaches to understand the biological molecular recognition and chemical reactions. Miniature proteins and protein/nucleic acids assemblies are explored to construct artificial biomimetic devices mimicking the function of biological systems, transformation of cellular signals by fluorescent biosensors, directed self-assembly of peptides and proteins, artificial receptors and enzymes based on the complex of RNA and protein, and photosynthesis of chemicals currently made industrially.



Exploring functional biomacromolecules by using RNP complexes.


Design strategies to tailor receptors, sensors and enzymes are explored by utilizing structurally well-defined protein-RNA complexes. Stepwise strategies of the structure-based design, in vitro selection and the chemical modification afford highly specific receptors for biologically important ligands, such as ATP and the phosphorylated tyrosine residue within a defined amino acid sequence.



Nanoassembly of enzymes and receptors to realize artificial photosynthesis & metabolic systems

Cellular chemical transformation processes take place in several reaction steps, with multiple enzymes cooperating in specific fashion to catalyze sequential steps of chemical transformations. One of the most popular natural systems is the photosynthesis system. Such natural systems are effectively reconstructed in vitro when the individual enzymes are placed in their correct relative orientations.

DNA nano-structure such as DNA-origami can be used as "molecular switchboards" to arrange enzymes and other proteins with nanometer-scale precision. A new method was developed based on proteins, to locate specific proteins by means of special "adapters" known as DNA binding proteins. Several different adapters carrying different proteins can bind independently to defined locations on this type of nanostructure. By using the system, nanoassembly of enzymes and receptors will be constructed as the multi-enzymatic reaction system to realize artificial photosynthesis & metabolic systems.



Real-time fluorescent monitoring of IP_3 production in the single cells

Exploring functional biomacromolecules by using RNP complexes.

Structure-based design provides an alternative strategy to construct protein-based biosensors that assess intracellular dynamics of second messengers and metabolites.

Structural Energy Bioscience Research Section

We aim at the establishment of biorefinery through the development of biomass and biomolecules based on structural biology.



Professor
Masato Katahira




Associate Professor
Takashi Nagata




Assistant Professor
Yudai Yamaoki

Toward biorefinery through the development of biomass and biomolecules based on structural biology


We explore the way how biomolecules such as proteins (involving enzymes) and functional nucleic acids (DNA and RNA) work at atomic resolution based on structural biology with NMR. For example, we have elucidated how functional RNA can trap the protein that causes prion diseases. We are also engaged in development of the new methodology to elucidate the underlying mechanism of functions of these biomolecules. We have successfully developed the way to monitor the base conversion reaction by anti-HIV enzyme in real-time by NMR for the first time. Currently, we are developing the way to extract energy and valuable materials that can be used as starting materials of various products from wood biomass. Thus, we pursue to contribute to the paradigm shift from oil refinery to biorefinery.



Obtained the direct evidence of the lignin-carbohydrate linkage in wood cell walls by the heteronuclear multidimensional NMR techniques




The real-time NMR observation of the ssDNA-specific cytidine-deaminase activity of APOBEC3B



Biorefinery based on biodegradation of woody biomass studied by NMR

Establishment of biorefinery on the basis of biodegradation of wood biomass studied by NMR



Observation of the in-cell NMR signals of the hairpin structure forming DNAs and RNAs introduced inside the living human cells

Advanced Energy Utilization Division

The aim of this research is to construct the supramolecular assemblies of the topologically interlocked components inside a DNA origami. Such assemblies of the functional structures are promising in the fields of molecular switches, motors, sensors, and logic devices.



Junior Associate Professor
Arivazhagan Rajendran

Nanomolecular fabrication of supramolecular assemblies


DNA molecules are not merely associated with genetics and the carrying of information. They have been used as excellent construction units in structural DNA nanotechnology due to their unique structural motifs and robust physicochemical properties. I have been working on the self-assembly of DNA origami (a method to create nanostructures by folding DNA) nanostructures to create micrometer scale structures that can be used for several applications such as fabrication of nano-devices, analysis of biomolecular reactions, and templates for various applications. Also, I have utilized these nanostructures for the single molecule analysis of various biomolecular reactions, structure and function of DNA and proteins, and enzymes related to biomass energy conversion.

Recently, I have been collaborating with the research groups of Prof. Takashi Morii (IAE, Kyoto University) and Prof. Youngjoo Kwon (Ewha Womans University) for the nanofabrication of the topologically interlocked supramolecular assemblies. Topologically interesting structures such as Borromean rings, catenanes, rotaxanes, and knots have been prepared by using duplex DNAs. Also, the complexity of the catenane and rotaxane structures were increased by constructing them by the DNA origami method. However, integration of the duplex DNA catenanes and rotaxanes with functional sequences to the relatively larger and complex DNA nanostructures such as DNA origami has not yet been realized. We have successfully fabricated the DNA catenane and rotaxane structures inside a frame-shaped DNA origami. Apart from the applications in nanotechnology, these interlocked structures can be used for the biomolecular analysis, such as enzymatic reactions and drug screening. For example, these topological structures can be used as the potential substrates for the topoisomerase (Topos) enzymes, and screening of Topo inhibitors.

Among the various types of DNA-binding proteins, Topos are quite attractive due to their importance in cancer therapy. Topos regulate the topological problems of DNA that arises due to the intertwined nature of the double helical structure. These enzymes also play an important role in various biological processes such as replication, transcription, recombination, and

chromosome condensation and segregation. Topos resolve the topological problems by transiently cleaving the phosphodiester bond, which generates a Topo-DNA cleavage complex. Once the winding stress is resolved, the Topo-mediated DNA break is resealed. This process is critical for the healthy cells to survive and function normally. Failure to reseat the DNA break can ultimately lead to cell death. This Topo-DNA cleavage complex and various other steps (such as binding of Topo to DNA, ATP driven strand passage, strand cleavage by Topo, formation of Topo-DNA cleavage complex, religation of cleaved DNA, and catalytic cycle after DNA cleavage/enzyme turnover) involved in the Topos function are of great interest as potential targets for the development of anticancer drugs. Despite the development of various Topo-inhibitors, the mechanism of action of these anticancer drug molecules is not well known. Thus, to understand the Topos reaction and the mechanism of the inhibitors, it is necessary to develop an elegant method.

Here, we aim to develop a novel method by using our supramolecular assemblies of the catenane and rotaxane inside a DNA origami and high-speed atomic force microscopy (HS-AFM) for the screening of Topo-inhibitors. The formation of the DNA origami frame and the insertion of the catenane and rotaxane structures were characterized. The Topo reactions and the function of Topo-inhibitors are under investigation. Apart from the Topo reactions and inhibitor screening, the supramolecular assemblies of the topologically interlocked components inside a DNA origami are also promising in the fields of molecular switches, motors, sensors, and logic devices.



DNA rotaxane and catenane inside a DNA origami frame
Left: The illustration of the topologically interlocked DNA rotaxane and catenane inside a DNA origami frame. Right: AFM images of the respective structures.

High-Temperature Plasma Equipment Engineering Research Section

To realize high-temperature plasma production and confinement for nuclear fusion, we carry out research and development of plasma heating and diagnostics.



Associate Professor
Hiroyuki Okada

Professor (Concurrent)
Kazunobu Nagasaki

High-Frequency Wave Heating for High-Temperature Plasmas


New power sources are being developed for complement of fossil fuel power plants. Fusion power plant using high-temperature plasmas is one of candidates. The difficulty of realization of this power plant is to achieve confinement of high-temperature plasma beyond 0.1 billion degrees. Research and development for fusion power is carried out all over the world, which are categorized into two major methods, magnetic confinement and inertia confinement. Our plasma confinement device, Heliotron J is one of torus devices using strong magnetic field. The ion-cyclotron range of frequency (ICRF) heating is applied to it, which utilizes the resonance phenomenon between ions and waves. Among many heating modes in ICRF heating, we select 'minority heating mode' by using deuterium majority and hydrogen minority for plasma particle source. In this mode, minority protons are directly heated by wave and, then, bulk plasma is heated by fast protons. Using this characteristic of minority heating, produced fast ions are utilized to study confinement of α particles generated in fusion reactor in simulation experiment. The relation of fast-ion confinement to the magnetic field configuration is also studied in Heliotron J, of which the magnetic field configuration is changeable using five sets of magnetic field coils.



ICRF antennas

High-Density Plasma Production

Plasma particles must be supplied for producing stationary confined plasmas since they are exchanged constantly during plasma discharge. They are supplied usually by gas injection from the outside of plasmas. However, the gas injection is not so effective since the particles are ionized in the edge region and become plasma particles in poor confinement region. Then, the hydrogen ice 'pellet' injector has been developed for effective plasma fueling. Ice pellet forms ablation cloud after penetrating plasma since it receives heat load from the plasma and evaporates on the surface. The hydrogen ice pellet can supply fueling particles into plasma core region because of deeper penetration length comparing with gas injection. Optimizing the velocity and size of pellet for the density and temperature of Heliotron J plasmas, we install pellet injector into Heliotron J. The pellet is injected by using helium-gas gun to produce high-density plasmas and utilized to study confinement in high-density plasma in Heliotron J.



Hydrogen ice pellet injector

Broadband Energy Science Research Section

In order to achieve broadband light utilization, we are engaged in clarification of mechanism and control of novel optical phenomena in nanomaterials with the advanced spectroscopic technique in broad spectral range with device fabrication.




Assistant Professor
Keisuke Shinokita

Professor (Concurrent)
Kazunari Matsuda


Development of novel optical phenomena to achieve broadband light utilization

Efficient use of abundant solar energy requires conversion and storage of light over a broad and continuous range of the spectrum covering not only visible region but also infrared region. We study novel optical phenomena in diverse nanomaterials to achieve broadband light utilization in ultraviolet, visible, infrared and terahertz region. We are engaged in clarification of mechanism and control of novel optical phenomena in nanomaterials with device fabrication and advanced spectroscopic technique in broad spectral range.



Novel optical phenomena in atomically thin-layered materials

Atomically thin-layered two-dimensional semiconductors including transition metal dichalcogenides (MX_2 ; $\text{M}=\text{Mo}, \text{W}$, $\text{X}=\text{S}, \text{Se}, \text{Te}$) have attracted much interest for both fundamental research and practical application, since the exciton comprising from strongly Coulomb-bounded electron and hole due to extreme quantum confinement has new quantum degrees of freedom, *valley* pseudospin, in momentum space. The valley degrees of freedom of exciton corresponding to 0 and 1 signal in information processing would enable next-generation optoelectronics device for low power consumption and high-speed operation. Now the advanced spectroscopic technique in broad spectral range with device fabrication is engaged in study of valley physics in the two-dimensional transition metal dichalcogenides.



Elucidation and control of valley relaxation phenomena
Schematics of control of valley relaxation phenomena in monolayer Tungsten diselenide (WSe_2) utilizing field-effect-transistor device structure.

Environmental Microbiology Research Section (Donation Program)

Energy issues and environmental issues are inseparable. We are still highly dependent on fossil energy, and there is concern that discharged greenhouse gases will break the harmony of global environment. In addition, we need large amount of energy to remediate an environmental pollution that remains the shadow of the progress of civilization with fossil fuel energy consumption. As one of the creating methods for sustainable society, we confront the development of practical applications utilizing "enzymes" that are highly energy utilization efficiency in substance catabolism.




Program-Specific Professor
Tomijiro Hara




Program-Specific Associate Professor
Yumiko Takatsuka

Establish an optimal process utilizing the oxidation-reduction reactions of enzymes for advanced environmental remediation


Polychlorinated biphenyls (PCBs) are organochlorine compounds containing theoretically 209 homologs of various chlorine substituents, and it had used in various industrial applications as "dream substance". However, PCBs has been already promoted globally abolition of the usage and the manufacturing since it was proven human endocrine disruptor. Biphenyl dioxygenase (BDO) plays a crucial role for degradation of PCBs. BDO catalyzes incorporation of two oxygen atoms into the aromatic ring of PCBs, and it induces the ring cleavage. We developed the composite type of catalytic enzymes with two BDOs that having different substrate specificity and the bioreactor for generating oxygen microbubbles that enhancing the enzymatic activity of BDOs. As the result, we succeeded constructing the practical system using both the catalytic enzyme and the microbubbles that degraded over 99% of 40 mg L⁻¹ commercial PCBs in 24 hours. In order to expanding this composite degradable reaction of PCBs, we are trying to create unique artificial enzymes, which reduce PCB by two-electron reduction.



A. Scanning Electron Microscope image of *Comamonas testosteroni* YAZ2 strain which produce biphenyl dioxygenase (BDO). This strain is gram negative and rod-shaped bacterium. Magnification is ×10,000. Scale-bar is 1 μm.



B. Molecular structure model of BDO which catalyze oxygenation reaction toward PCBs (Ref: PDB).





C. Enzymatic reaction showing how BDO hydroxylates one aromatic ring by adding oxygen to biphenyl.



E. Morphological study of *Trichoderma viride* MAFF 30546 strain which was treated by enzyme(s) (right) compared with the control (left). Enzyme reaction was carried out at 30°C for 6 hours. *Trichoderma viride* MAFF 30546 strain was stained with lactophenol cotton blue. Magnification is ×400. Scale bar is 50 μm.



F. Image showing how glycosidase digests fungus cell walls.



D. The result of reacting 40 mg L⁻¹ of commercial PCBs with composite type of catalytic enzyme, it degraded to 0.3 mg L⁻¹ in comparison with the control (top) within 24 hours (bottom). PCBs was analyzed by gas chromatograph quadrupole mass spectrometer.

Establish an optimal plant disease control methods utilizing enzymatically reaction for an organic food production

Many of plant diseases are generally caused by either ascomycetes or basidiomycetes that belonging to filamentous fungi. "Filamentous fungi" is hypha, and it is proliferated to mycelia. The cell wall is engineered as a composite material. It incorporates a mix of cross-linked fibers and matrix components. The fibrous components of cell wall are glucan, chitin, and mannan, and these sugarchains contribute forming a supple and solid filiform microfibril wall. Glycosidase is one of the hydrolases that catalyzes the hydrolysis of glycosidic bonds in complex sugars. We develop a new bio-molecular type of fungicide utilizing the hydrolysis reaction of glycosidase against fungal microfibril wall. Up to now, our composite type of bacterial catalyst composed of 5 strains from class Bacilli, which produce and secrete various glycosidases, controlled 99.3% of a tomato- *Pestalotia* disease with *Pestalotiopsis* sp. Glycosidases are classified into approximately 130 families, and its catalytic reaction is roughly divided into anomeric-inversion and/or anomeric-retention, and exoglycosidase or endglycosidase. Hence, the classification of glycosidase can be understood diverse, and we consider that it is possible to digest fungi cell wall efficiently, by compositely capably using these diversities of enzyme reactivity.

Adjunct Faculty Members

▶ Advanced Energy Conversion Division Clean Energy Research Section




Visiting Professor

Shigeru Inagaki

Research Institute for Applied Mechanics, Kyushu University (Plasma Science and Engineering), Professor

Dr. Shigeru Inagaki received his PhD from Tohoku University in 1997. He spent nine and a half years at National Institute for Fusion Science as an Assistant Professor. In 2007, he moved to Kyushu University as an Associate Professor and then a Full Professor from 2014.

His field of research is physics of collective phenomena with emphasis on the turbulence-driven energy transport in magnetically confined fusion plasmas. Focus is laid on the observations of dynamic behaviors of plasma in which the nonlinear interactions between multi-scale turbulence and plasma inhomogeneities play a central role. Fundamental plasma research is also carried out at several laboratory experiments at the Kyushu University. Development of plasma turbulence diagnostic tools (microwave frequency comb reflectometry) and advanced time-series data analysis methods is useful to propel the fundamental plasma turbulence physics. The interests range from physics of astronomical phenomena (e.g. solar-wind) to applications towards shaping of the future society (e.g. magnetic fusion and self-driving) combining science with engineering issues.



▶ Advanced Energy Conversion Research Division Clean Energy Research Section




Visiting Associate Professor

Satoru Konabe

Department of Chemical Science and Technology, Hosei University, Associate Professor

Dr. Satoru Konabe received his Ph.D. from Tokyo University of Science in 2008. He was then an assistant professor at Tokyo University of Science, a researcher at Tsukuba University, and a Jr. associate professor at Tokyo University of Science. In 2018, he moved to Hosei University as an Associate Professor. He is interested in condensed matter theory. Current research interests include novel (thermo)photovoltaic effects in nanomaterials and valleytronics in 2D atomic layered materials.



The Laboratory for Complex Energy Processes

This Laboratory is a core research center for strategic and multidisciplinary collaboration studies in IAE, offering cooperative project activities in the field of the advanced energy. The Center has three divisions: (1) "Division of Plasma and Quantum Energy Research", for fusion and related advanced energy studies, (2) "Soft Energy Science Research", that promotes innovative functional materials based on nanotechnology and biotechnology, and (3) "Division of International and Industrial Partnership" that promotes and enhances activities and relationship with foreign and domestic research partners including industry and private sector. This center provides a platform for the collaborative and ambitious research activities of the IAE in the field of advanced energy studies.

Objectives

The project studies in the Laboratory are focused on innovative and advanced concepts on the advanced energy science for the sustainability of humankind based on the latest understanding and consideration on the energy and environmental problems. We focus our efforts on two specific priority-fields at the divisions for, (1) "Plasma and Quantum Energy Research" and (2) "Soft Energy Science Research". The multidisciplinary collaboration projects are promoted in these two fields at each division with large scale research facilities used for project oriented studies. Two sections also belong to the Laboratory. The third division is established to promote international and domestic collaborative activities with various events, by planning, arranging and supporting function with various partners including governmental institution and industries. Moreover, as activities in Kyoto University, we continue to provide human resources to lead innovative energy studies based on the experiences of 21COE and GCOE programs on energy science. Development of human resources in the advanced energy field is a major function, and as in the past in several educational projects, seminars, internship and courses are included. Bilateral Collaborative Research Program in National Institute for Fusion Science (NIFS), on the study of plasma energy is promoted under the inter-university collaboration. We pursue various types of collaborations with other partners and through these activities. Donation Program for collaboration with industry and private sector belongs to the Laboratory.

Activities

The Laboratory organizes the cooperative research programs for the scientists from various energy-relating fields inside/outside IAE. The Laboratory also provides the functions for exchanging the scientific information among the collaboration members by organizing or supporting various kinds of symposia, seminars and events for the specific topics on the fields of energy science and technology. A number of significant results have been published from these multidisciplinary collaboration projects in the Laboratory. Also, three sections belong to the Laboratory; "High-Temperature Plasma Equipment Engineering Research Section", "Broad Band Energy Science Research Section", and the Donation Program "Environmental Microbiology Research Section".

The Laboratory has several large-scale research facilities for the collaborations; (1) Advanced energy conversion experimental devices (Heliotron J and DuET), (2) Free electron laser (KU-FEL), (3) NMR facilities, (4) Multiscale testing and evaluation research systems (MUSTER), (5) Compact and portable inertial-electrostatic confinement (IEC) fusion neutron/proton sources, (6) System for creation and functional analysis of catalytic material, etc.



Transmission lines in the laboratory



100t crane



Motor generator

The Major Facilities and Equipment of The Laboratory



The Laboratory is consolidating several major facilities for the research programs of the Institute of Advanced Energy. Outlines of the facilities which are described below.

- Heliotron J

In our Institute, a unique helical device Heliotron J is now in operation, which is based on a Kyoto-University original concept of "helical-axis heliotron", to investigate the high-level compatibility between (i) good plasma confinement and (ii) MHD stability in the heliotron line. This project is expected to open up a new frontier of the novel plasma parameter regime in the toroidal fusion devices. The major radius of the torus is 1.2 m and the maximum magnetic field strength is 1.5 T.

- DuET/MUSTER Facility

This facility is for fundamental research on the interaction between materials and multiple charged particles with wide range of energy levels under well-controlled irradiation conditions, as well as for R&D of innovative structural materials through the unique fabrication processes of non-equilibrium and ultra-functional materials. In order to accelerate the achievement of industrial technology innovations, the comprehensive materials/system integration studies have been performed by means of multi-scale evaluation methods covering from nano-scaled analysis to the practical size of mechanical tests.

- KU-FEL (Kyoto University Free Electron Laser)

The KU-FEL provides coherent and tunable laser in Mid-IR region ranging from 3.4 to 26 μm . The tunable IR laser has been utilized for basic study of high-efficiency solar cells, mass measurement of chemicals from biomass and selective phonon mode excitation in wide-gap semiconductors by collaboration research.

- NMR Facilities

Four NMR machines, including three 600 MHz machines equipped with super-high sensitivity cryogenic probes, are operated to elucidate the three-dimensional structure and dynamics of biomass and biomolecules at atomic resolution. On the basis of the obtained knowledge, we are developing the way to extract the energy and valuable materials from the biomass and biomolecules.

- Cooperation with industries and national institute by using advanced facilities through Collaborative research office

Dual-Beam Facility for Energy Science and Technology (DuET), Multi-Scale Testing and Evaluation Research facility (MUSTER), KU-FEL, and NMR Facilities are open for industries to evaluate materials performance from the viewpoint of multi-scale structure; atomic size, defect size, grain size, etc. to understand the materials behavior in practical applications. Our facilities have supported about 85 companies to contribute in their progress of innovative materials R&D.



Cooperative Research



Besides of an inter-university collaboration program for researchers of energy relating communities, which is promoted by Joint Usage/ Research Center of Zero-Emission Energy Research, IAE, the Laboratory organizes an original cooperative research program for IAE researchers under two divisions. The Laboratory also provides the functions for exchanging the scientific information among the collaboration members by holding various kinds of symposiums, seminars for the specific topics on the fields of energy science and technology.

Organization of Research Projects in the Laboratory

Division of Plasma and Quantum Energy Research

This division promotes studies on advanced plasmas and quantum energy for realizing future energy systems, integrating plasma energy science and advanced energy material research. In particular, based on the results obtained in each related group, we aim at extending the research fields and contributing to human society by utilizing the existing key devices such as Heliotron J, DuET, MUSTER and IEC (Inertial Electrostatic Confinement) device, which have been developed in IAE.

Group of advanced plasma energy control and application research	This group promotes fundamental understanding of self-regulated plasma, development of its control system, putting emphasis on generation of advanced plasma energy from experimental and theoretical viewpoints. Extension and enrichment of plasma energy application are also investigated.
Group of plasma, hydrogen, and material integration research	This group promotes the research on optimization of plasma reaction process in hydrogen cycle and understanding the mechanism of plasma-materials interactions in order to develop highly efficient and controllable energy systems.
Group of advanced energy materials- nuclear systems research	This group promotes the research on nano-meso structure control for high performance materials and materials-systems integration in order to develop innovative energy materials for advanced nuclear energy systems.

Division of Soft Energy Science Research

This division promotes studies on emergent materials and systems for realizing next generation soft energy system. In particular, functional nano- and bio-materials to efficiently utilize solar energy and bio-energy are studied by integrating laser science and expand to THz region, nanotechnology, bio-technology and their combination. We aim at extending our research fields by utilizing the existing devices such as System for Creation and Functional Analysis of Catalytic Materials, SEMs, SPM, Solar Simulator, KU-FEL and various laser systems.

Group of nano-bioscience research	This group aims at the study on the function and the structures of bio molecules from the basic to application level. Understanding the fundamental aspects of molecular recognition, protein folding, enzymatic reactions, and the assembly formation by proteins and nucleic acids will explore a new horizon of the bio energy related nano-bioscience research, such as the development of nano-bio devices that accelerate the efficient utilization of solar energy and the biomass resources.
Group of quantum radiation and optical science research	For contributing to innovative progress in quantum radiation and photon energy science, this group aims at demonstrating potential abilities of light and radiation through the development of advanced coherent radiation sources with novel functions and their applications to materials control and photoreaction dynamics research.
Group of surface and interface science research	This group studies surface science to produce the various functional materials used in energy sector. Surface and interface of matters can be used as a template to synthesize extra-ordinal materials because of their different atomic arrays from the bulk. Research involves in semiconductor porous materials, molecular wires and organic materials for photovoltaic cells in next generation.

Division of International and Industrial Partnership

This division promotes international collaborative research on advanced energy to lead the field of energy science and technology as an international pioneer. For this purpose, the symposium and the workshop organized by institution member are supported. This section also promotes young researcher/student exchange, cooperative research activities and multi-lateral collaborative research with industries. Establishment of infrastructure and human resource development are also supported.

Group of promotion for international collaborative research	This group promotes international collaborative research to solve global issues on advanced energy.
Group of promotion for domestic collaborative research	This group promotes domestic collaborative research to lead advanced energy science and engineering with focusing on human resource development.
Group of promotion for collaborative research with industries	This group supports research projects founded by government and/or industries to accelerate the progress in the researches with high social acceptance.
Collaborative research office	This office member supports industrial research and engineering for energy materials development and materials integration researches as an advanced project with DuET, MUSTER, KU-FEL and NMRs.

Major Projects

A number of projects are currently underway in both scientific and engineering fields of advanced energy to realize a sustainable society that is in harmony with the environment through advanced generation, conversion, and utilization of energy.

Inter-University Research Program (MEXT)



Research Project for Zero-Emission Energy System

- ▶ Leader: Director of IAE
- ▶ Project Period: the 1st term: FY2011–2015
the 2nd term: FY2016–2021


The energy system for next generation should be an environmentally friendly or ecological one, we propose an innovative concept of Zero-Emission Energy. IAE Zero-Emission Energy Research aims at the realization of environmentally friendly energy system for sustainable society with minimum emission of environmental pollutants (Greenhouse Gases, Air Pollutions, Waste Energy, Hazardous Wastes, etc.), and with maximum utilization of energy and resources. This project promotes interdisciplinary researches of energy relevant fields, education and training of young students and researchers in the field of advanced energy science. The "A" evaluation has been given at the mid-term evaluation held in 2018 by MEXT.

Activities in FY2019

- Joint Usage/Research Collaborations: Total 107 subjects with 462 Participants from 64 organizations
- International Symposium (September 4–6, 2019) "The 10th International Symposium of Advanced Energy Science" – Beyond the Decade of Zero Emission Energy – 383 participants
- Zero-Emission Energy Network activities for information exchange on Zero-Emission Energy Research.
- Briefing Meeting of Inter-University Collaborations in FY2019 (The meeting was cancelled due to the outbreak of the coronavirus).
- Promotions of other Workshops/Seminars of ZE Research.

Joint Usage/Research Center at IAE on "Zero-Emission Energy"

- To promote interdisciplinary collaboration researches for Zero-Emission Energy Science & Technology,
- To explore new horizon of Advanced Energy System for sustainable development,
- To promote education & practical training for young researchers.



MEXT Special Budget Project (MEXT)

Joint Research Project “Smart-Materials”

- ▶ Institute for Chemical Research, Institute of Advanced Energy, Research Institute for Sustainable Humanosphere
- ▶ Project Period : FY2015 – FY2020


Since April of 2015, the Institute for Chemical Research (ICR), the Institute of Advanced Energy (IAE), and the Research Institute for Sustainable Humanosphere (RISH) have been working in cooperation on the “Smart-Materials” project, supported by the Ministry of Education, Culture, Sports, Science and Technology (MEXT), Japan. The ever-increasing demand for materials and energy by the present social system has almost reached its limit, and the environment is heavily burdened by harmful byproducts and surplus heat from mass production. In order to overcome these issues, this project aims to fabricate smart materials and develop a joint research organization, achieving green innovation through “zero loss” at the production/transportation/usage of materials/energy. The model for the target materials is a biological system with molecular recognition ability, autonomy, and activity. The key to success is interdisciplinary research with flexibility and rapidity. Taking advantage of the three institutes being located at the same campus (Uji campus of Kyoto University), the under-one-roof scheme is expected to deliver internationally excellent results, contributing significantly to this research field.



Bilateral Collaboration Research Program (National Institutes of Natural Sciences)

- ▶ Leader : Prof. Kazunobu Nagasaki
- ▶ Project Period : FY2004 –

Bilateral collaboration research program promotes joint research bilaterally between National Institute for Fusion Science (NIFS), and the research institutes or research centers of universities that have each unique facility for nuclear fusion research. Under this collaboration scheme, the facilities are open to researchers throughout Japan as a joint-use program of NIFS. Our research subject under this program is to investigate experimentally and theoretically the transport and stability control through advanced helical-field control in the Heliotron J device.




JSPS Core-to-Core Program, A. Advanced Research Networks

Advanced Core-to-Core Network for High-Temperature Plasma Dynamics and Structure Formation Based on Magnetic Field Diversity, "PLADyS" (JSPS)

- ▶ Leader: Prof. Kazunobu Nagasaki
- ▶ Project Period: FY2019 - FY2023

This project is aimed at constructing an international research center that creates a new science for understanding the structure formation in nature. The structure formation from the turbulent state and the role of high-energy particle dynamics in high-temperature plasmas confined by various magnetic fields are investigated by precise experiments, theoretical analysis and simulation. The goal is to establish an international research consortium on high-temperature plasma dynamics and structure formation in Kyoto University in collaboration with Max-Planck Institute for Plasma Physics (Germany), The University of Wisconsin-Madison (USA), and Southwest Jiaotong University (China).



e-ASIA Joint Research Program Japan Science and Technology Agency (JST)


Research area: "Alternative Energy" on the topic of "Bioenergy"

Research project: Integrated Biorefinery of Sugarcane Trash

- ▶ Project Leader: Prof. Takashi Watanabe (Research Institute for Sustainable Humanosphere)
- ▶ Responsible Researcher: Hideaki Ohgaki
- ▶ Project Period: FY2019 - FY2021

http://www.the-easia.org/jrp/pdf/1_Bioenergy_7th.pdf

This cooperative project aims to study an integrated biorefinery model for efficient utilization of sugarcane trash for conversion to advanced biofuels and biochemical using bio- and chemical processing. Social LCA will be studied to show a social impact of the proposed model.



Program on Open Innovation Platform with Enterprise, Research Institute and Academia (OPERA)


Japan Science and Technology Agency (JST)

Innovation for Energy Based on Innovative Semiconductor Technology to Realize Smart Society

Development of SiC Composites for Severe Environment

- ▶ Task Leader: Assoc. Prof. Tatsuya Hinoki
- ▶ Project Period: FY2018 - FY2023

Environmental effect of the particle dispersion SiC composites developed at Kyoto University are evaluated including air, steam above 1500 °C and the other severe environment based on needs. The design window of the material is established in terms of temperature and environment. Radio isotope is controlled to utilize under radioactive environment keeping fundamental environmental resistance and mechanical performance.



Quantum-Leap Program (Q-LEAP) Japan Science and Technology Agency (JST)

Research area: Next Generation Laser

Research Title: Development of Basic Technology for High Repetition Rate Attosecond Light Source Driven by MIR-Free Electron Laser

- ▶ Project Leader: Ryoichi Hajima (National Institutes for Quantum and Radiological Science and Technology)
- ▶ Responsible Researcher: Hideaki Ohgaki
- ▶ Period: FY2018 - FY2027

A free electron laser (FEL), which is generated from a relativistic electron beam, has wide tunable wavelength in Mid-infrared (MIR) with a high average power and high repetition rate. Therefore, MIR-FEL driven by a superconducting accelerator is suitable for a high-order harmonic generation (HHG) of 1 keV or more with high repetition of MHz. The HHG driven by MIR-FEL can be an alternative technology to the HHG generated by an existing solid-state laser. In this project, key technologies to realize the high repetition rate (>10 MHz) and high photon energy (>1 keV) HHG based attosecond laser will be developed by using an existing MIR-FEL facility in Institute of Advanced Energy.



Research Unit for Smart Energy Management

- ▶ Leader: Prof. Yasuo Okabe (Academic Center for Computing and Media Studies)
- ▶ Leader in IAE: Prof. Toshiyuki Nohira
- ▶ Project Period: FY2016 – FY2021

This research unit aims to enhance the interdisciplinary R&D on Smart Energy Management by developing and deepening the various results obtained in Graduate School of Engineering, Graduate School of Energy Science, Institute of Advanced Energy, Graduate School of Economics, Graduate School of Informatics, and Academic Center for Computing and Media Studies, Kyoto University. The unit especially focuses on the fusion of current communication network technology and information processing technology. The unit will also conduct cooperation research projects with industry, government, schools.



Kyoto University Research Coordination Alliance, Research Units for Exploring Future Horizons

Under the Kyoto University Research Coordination Alliance, 4 projects are ongoing as the organization "research unit", where IAE is involved in 2 projects.



Unit of Data Science-based comprehensive area study (tentative name)

- ▶ Leader : Prof. Fumiharu Mieno (Center for Southeast Asian Studies)
- ▶ Leader in IAE : Prof. Hideaki Ohgaki
- ▶ Project Period : FY2020 – FY2024

In this program, 10 departments collaborate to establish a new domain "Data Science-based comprehensive area study" based on the fusion of interdisciplinary area studies and informatics. The study area will be the Asia-Pacific region, and the main areas of interest will be simulations, risk assessments, and evaluations of policy related to political, economic, and social design in those region. All participants share the viewpoint of the combination of informatics and quantitative evaluation, and conduct research by comparing different disciplines and issues between different countries.

Unit for Development of Sustainable Human Society

- ▶ Candidate Leader/Applicant of the new unit: Prof. Satoshi Konishi
- ▶ Project Period: FY2020 – FY2025

The "Research Units for Exploring Future Horizons" called the 2nd phase program, and our proposal based on the former Unit for Development of Global Sustainability was granted. Now 8 departments adding the Academic Center for Computing and Media Studies plan to pursue sustainability study. Human sustainability goals (SDGs) with material energy circulation system and infrastructure, resilient social system will be developed and their deployment methodology will be studied. The 17 SDGs are short term targets and involves various conflicts among them. Our study will reveal the ultimate solution for long term survival of human.

Research Facilities

The Institute of Advanced Energy conducts research at several buildings, including the main building on the Uji Campus.



Laboratory for Energy Nano-science (IAE, Bldg. N-1)



Laboratory for Photon and Charged Particle Research (IAE, Bldg. N-2)



Plasma Physics Laboratory (IAE, Bldg. N-3)



Uji Campus Main Bldg. (W wing)




Uji Campus Main Bldg. (M wing)



IAE, Bldg. S-1



IAE, Bldg. S-2






Plasma Physics Laboratory (IAE, Bldg. N-4)



Center for Advanced Science and Innovation



Uji Research Bldg.



Uji Obaku Plaza



IAE, Bldg. S-3




IAE, Machine shop

Magnetic Confinement Plasma Device

Heliotron J

One of the objectives of the Heliotron J project is to explore the confinement optimization of the "helical-axis heliotron" configuration which is original to Kyoto University in its design concept, in order to develop the advanced and high-performance fusion reactor. Heliotron J started its plasma operation in 2000, and continues the improvement of performance as a unique fusion plasma experiment device.




(IAE, Bldg. N-4)

Mid-infrared Free Electron Laser Facility

KU-FEL

KU-FEL is a tunable MIR laser (3.4~26 μm) which is generated by a relativistic electron beam interacted with synchrotron radiation in the periodic magnetic field. Researches on energy materials by using high peak power MIR-FEL have been conducted by cooperation researchers.



(IAE, Bldg. N-2)

Dual-Beam Facility for Energy Science and Technology

DuET

DuET is a powerful tool for introduction of lattice defects, modification of surface structure, and in-beam analysis. Two ion-beams of a different species are able to be irradiated simultaneously to the materials under various environmental conditions.



(IAE, Bldg. N-2)

NMR Machines

Four NMR machines, including three 600 MHz machines equipped with the superhigh sensitivity probe, are operated to develop the way to extract the energy and valuable materials from biomass and biomolecules.



(IAE, Bldg. S-2)

Multi-Scale Testing and Evaluation Research Facility

MUSTER

MUSTER is a research facility installed with high-resolution microscopes, TEM, FE-TEM and FE-SEM, chemical analyzers, FE-AES and FE-EPMA, and mechanical testing machines, fatigue test machine, high temperature tensile test machine and nano-indenter, etc.



(IAE, Bldg. N-1, N-2)

Research Facilities for Energy Nanoscience

Analytical instruments for investigation of the energetic function of nanocomposites and biomaterials are provided. These involve scanning probe microscopes, atomic force microscopy, fluorescence microscope, CD spectrometer, ultraviolet and visible spectrophotometers, a fluorescence spectrometer, iso-thermal titration calorimetry, differential scanning calorimetry, MALDI-TOF mass spectrometer, ESI mass spectrometer, FT-IR spectrometer and photo-electron spectroscopy.



(IAE, Bldg. Main Bldg.)

Functional Analytical Systems for the Generation of Catalytic Materials

Instruments are set up to purify, analyze chemical compositions and structures, and to evaluate functions of various biomolecules, organic and inorganic molecules. These include 300 MHz and 600 MHz NMRs, a protein purification chromatography system, a DNA sequencer, a time-resolved fluorescence spectrometer, a FESEM, and a solar simulator.



(IAE, Bldg. N-1, S-1, Main Bldg.)

Fusion In-vessel Components Experiment Device

Conditioning of 30kV-6A hydrogen beam and development of neutron source is ongoing for the research of innovative concepts of high heat flux divertor and breeding blanket for fusion in-vessel components based on liquid metal and other unique materials.



(IAE, Bldg. S-3)

Advanced Energy Conversion Experiment


For the evaluation of heat flux plasma facing components and high temperature blanket, a 950 C LiPb liquid metal loop and compact fusion neutron source are developed. Study on interaction between material and energy on the energy conversion components with advanced materials and heat transfer media will be performed.



(IAE, Bldg. S-1)

CEP-Stabilized High-Intensity, Ultrashort-Pulse Laser

This Ti:sapphire laser using the chirped-pulsed amplification technique produces intense few-cycle optical pulses with stabilized carrier-envelope-phase, which allows us to approach new strong-field and attosecond regimes in studying interaction of light with matter.



(Uji Campus Main Bldg.)

Education and Social Activities

The Institute strives to train graduate students who are specialists with a global perspective capable of solving energy issues in the twenty-first century.

Education

Since being simultaneously launched with the Graduate School of Energy Science, Kyoto University in 1996, each laboratory in the Institute has participated in training graduate students via a cooperative course. The steady flow of research achievements has been attracting more and more students to our Institute. Both the recent increase in the number of Ph.D. students and the higher percentage of foreign students in our student body attest to the fact we are becoming an international institute. Additionally, many of our graduate students are attracted to the Institute's unparalleled quality of advanced equipment and the diversity of our staff engaging in advanced research.

We hold briefing sessions for prospective graduate students in conjunction with Graduate School, so that potential students are familiar with issues such as our enrollment policy and selection procedure. The notable activities of our Institute include briefing sessions of our graduate school, which have been held concurrently with our open seminars, to disseminate our activities to a broad audience. These efforts have increased the student body at our Institute to 101 in FY2019, which includes 28 Ph.D. students (20 from foreign countries). We are leveraging both the Institute's Research Assistant (RA) system to increase opportunities for graduate students to network with other research institutes in Japan and abroad as well as to encourage them to present at research meetings in and out of Japan. To broaden their international perspective, many of our graduate students have participated and/or presented at international conferences. Attending international conferences plays a major role in our training activities at the Institute. We are also making efforts to expand the professional careers of our graduates, and numerous graduates have found employment at research institutes in Japan and abroad. Additionally, we jointly host public lectures with technical colleges to further our education and training activities.

We also strive to include the general public in our activities via public lectures and an open campus policy. Visi-

tors are always welcome. We aim to contribute to a broad spectrum of our society, including the local public activities. Additionally, the latest information is disseminated through the Institute's website, annual reports and publicity activities of the University. Since 2003, we have held annual public lectures on our campus and in the city of Kyoto to facilitate participation from the general public.

We also actively participate in Kyoto University Research Institutes' Symposium to impart our achievements. Moreover, efforts have been made to develop innovative and creative initiatives of the advanced energy fields and training activities in the nuclear power field. We are dedicated to disseminating and practically applying intellectual properties through activities such as i) collaborating with industry, government, and academia, ii) holding joint symposia, iii) actively conducting collaborative research and engaging in commissioned research, iv) providing technical guidance to industry, and v) implementing systems for the effective collaboration of industry, government, and academia. Results from these initiatives will be used in a broad array of fields to further our contributions in the international arena and to strengthen our international collaborative network.




International Symposium of Advanced Energy Science “Beyond the Decade of Zero Emission Energy”

The 10th International Symposium of Advanced Energy Science titled “Beyond the Decade of Zero Emission Energy” was held at the Kyoto University Uji campus for 3 days from 4th September 2019. The symposium was supported by Joint Usage/Research Center Program of MEXT, jointly held with the International Workshop on Energy Science Education. We had 18 distinguished speakers from home and abroad in the fields of bioenergy, nuclear fusion, optics, material science, nanotechnology, solar energy and more. We also had 107 poster presentations. The symposium gathered 383 participants from all over the world. Specialized and detailed discussion was held at the parallel seminar sessions, which has successfully satisfied the participants who wished to discuss in more depth.



Public Lectures

"The 24th Public Lecture of the Institute of Advanced Energy" was held at Kihada Hall of Obaku Plaza on Uji campus on May 12th, 2019. This is an annual series of lectures in which selected professors in the institute present their current research to the wider general public, including office workers, undergraduate and graduate students in different fields, middle and high school students, etc. In the opening address, Yasuaki Kishimoto, the director of the institute, introduced current status and future prospect of energy research in the institute. Three professors introduced their recent research activities in an easy-to-understand manner. Satoshi Konishi reported the recent view of the energy and environment problems where resource is no longer limiting the energy but the environmental constraint does. Laboratory tour, poster session, and consultation for students and local business for collaboration, were conducted next. Kazunari Matsuda presented the introduction of carbon nano-tube and other functional materials for innovative energy transformation with video. Yumiko Takatsuka lectured the decomposition of toxic materials using bacteria in the environment, followed by the Takashi Morii's closing remark. Approximately 130 audience participated and enjoyed the event.



International Activities

We have signed collaborative research agreements with numerous research institutes around the world to actively conduct joint research, including research visits and international conferences.

Academic Collaboration Agreements

Date signed	Name of Institute	Country
Sep. 29, 1995	Fusion Technology Institute, University of Wisconsin-Madison	U.S.A.
Oct. 3, 1995	Fusion Studies Laboratory, University of Illinois Urbana-Champaign	U.S.A.
Oct. 6, 1995	Russian Research Centre "Kurchatov Institute"	Russia
Nov. 6, 1995	Center for Fusion Science, Southwestern Institute of Physics	China
Jun. 3, 1996	Institute of High Energy Physics, Chinese Academy of Sciences	China
Jun. 4, 1996	China Institute of Atomic Energy	China
Nov. 19, 1996	Center for Beam Physics, Lawrence Berkeley National Laboratory, University of California	U.S.A.
Nov. 20, 1996	Free Electron Laser Center, Hansen Experimental Physics Laboratory, Stanford University	U.S.A.
Dec. 12, 1996	Department of Physics, Flinders University of South Australia	Australia
Mar. 10, 1997	Institute of Material Failure, University of Science & Technology, Beijing	China
Aug. 10, 1997	Plasma Research Laboratory, Australian National University	Australia
Feb. 6, 1998	Torsatron/Stellarator Laboratory, University of Wisconsin-Madison	U.S.A.
May. 11, 1998	National Science Center 'Kharkiv Institute of Physics and Technology'	Ukraine
Aug. 1, 1998	Department of Materials Science and Chemical Engineering, Politecnico di Torino	Italy
May. 7, 1999	Industry-University Cooperation Section, Dong-eui University	Republic of Korea
July. 24, 2000	Dong-eui University (Engineering school)	Republic of Korea
Sep. 10, 2000	Korea Basic Science Institute	Republic of Korea
Jan. 9, 2001	Graduate School of Physics, University of Sydney	Australia
Jan. 25, 2001	Slovak University of Technology in Bratislava (Faculty of Electrical Engineering and Information Technology)	Slovak Republic
Jan. 5, 2001	Rajamangala University of Technology Thanyaburi	Thailand
May. 16, 2001	Spanish National Research Centre for Energy, Environment and Technology, CIEMAT	Spain
July. 24, 2001	University of Erlangen-Nuremberg (Department of Material Science, School of Engineering)	Germany
Apr. 6, 2006	National Fusion Research Institute	Republic of Korea
Nov. 28, 2006	Research Institute of Industrial Science and Technology, Pukyong National University School of Engineering	Republic of Korea
Feb. 20, 2009	Atomic Energy Materials, Global Security, Lawrence Livermore National Laboratory	U.S.A.
Oct. 19, 2009	Joint Graduate School of Energy and Environment	Thailand
May. 18, 2010	City University of New York, Energy Institute	U.S.A.
Apr. 12, 2012	Nano and Energy Center, Vietnam National University, Hanoi	Vietnam
Jan. 23, 2013	Fusion Plasma Transport Research Center, Korea Advanced Institute of Science and Technology	Republic of Korea
Mar. 20, 2013	Korea Atomic Energy Research Institute	Republic of Korea
Sep. 18, 2014	Center for Advanced Material & Energy Sciences, University Brunei Darussalam	Brunei
Oct. 6, 2014	Horia Hulubei National Institute of Physics and Nuclear engineering	Romania
Dec. 3, 2014	Ulsan National Institute of Science and Technology (UNIST), Fusion Plasma Stability and Confinement Research Center (FPPSCRC)	Republic of Korea
Jun. 15, 2016	Center for Science and Technology of Advanced Materials, Indonesia National Nuclear Energy Agency-Batan	Indonesia
Jul. 7, 2016	University of California, Santa Barbara	U.S.A.
Jul. 28, 2016	IAEA (International Atomic Energy Agency)	Austria
Jan. 8, 2019	Max-Planck-Institut fuer Plasmaphysik	Germany
Feb. 15, 2019	The Institute of Fusion Science, Southwest Jiaotong University	China
Jun. 19, 2019	Faculty of Engineering, National University of Laos	Lao
Oct. 21, 2019	Center for Fusion Science, Southwestern Institute of Physics	China
Oct. 30, 2019	International Joint Research Laboratory of Magnetic Confinement Fusion and Plasma Physics (IFPP), Huazhong University of Science and Technology	China

The number of visitors



International Exchange Promotion: ASEAN-JAPAN

►Leader: Prof. Hideaki Ohgaki

International exchange promotion activities among ASEAN countries are started by the 21st century COE program from 2006 through establishing the Asian academic network named SEE Forum (Sustainable Energy and Environment Forum). In this line, we will have the 8th International Conference on Sustainable Energy and Environment in October organized by Graduate School of Energy and Environment in Thailand. In Thailand we have also been having the Eco-Energy and Materials Science and Engineering Symposium (EMSES) in almost every year in cooperation with Rajamangala University of Technology Thanyaburi since 2001. In 2020, 15th EMSES will be held in Thailand. These international activities among ASEAN region have been appreciated by many the counterpart universities, research institute in Asia, Japanese government and UNESCO. In this connection we have cooperated with UNESCO COMPETENCE program from 2009. As the extension of this project we have started the ODA-UNESCO Assist program on Energy for Sustainable Development in Asia (Vietnam in 2011, Laos in 2012, Cambodia in 2013, and Myanmar in 2014, <http://www.oda-unesco-iae-kyoto-u.com/>). In 2017, UNESCO selected Kyoto University as "UNESCO chair" in the field of water, energy, and disaster prevention. In 2015, the Japan ASEAN Science and Technology Innovation Platform (JASTIP) has been ad-

opted in JST SICORP and we have been promoting the international collaboration research between Japan and ASEAN.


In education activity, based on the MOU between Kyoto University and AUN which was initiated IAE activities, the AUN - KU Student Mobility Program towards Human Security Development (HSD) has been selected to accelerate internationalization of university in 2012. So far many sending/invitation programs have been operated with JST, JSPS, Kyoto University funds. From 2019, we have started the JSPS Core-to-Core program in cooperation with Institute for Chemical Research and The Institute of Scientific and Industrial Research, Osaka University. We also launched the JST e-Asia Joint Research Program lead by Research Institute for Sustainable Humanosphere with Thailand, Indonesia, and Laos.



Group photo of EMSES2018 in Uji Campus

and foreign students

(2019)



JSPS Core-to-Core Program, B. Asia-Africa Science Platforms (JSPS)

Research area: Engineering Sciences

Research project: Kansai-Asia Platform of Advanced Analytical Technologies


- ▶ Project Leader: Prof. Hideaki Ohgaki
- ▶ Project Period: FY2019 – FY2021

To advanced utilization of abundant natural resources in emerging Asian countries, we (Institute of Advanced Energy, Institute for Chemical Research, and The Institute of Scientific and Industrial Research, Osaka University) aim to form a research exchange platform based on our advanced analytical technologies. In this project, we will collaborate with Indonesia, Myanmar, Mongolia, Philippines, Vietnam, Cambodia and Laos to improve their analytical skills and promote collaboration research.




Faculty Member

2019




Adjunct Member

2019




Students

May, 2019




Budget

FY2018 [unit: 1 million yen]



Research Presentations




The number of applicants to the collaboration program of the Laboratory for Complex Energy Processes

Category	2019
A1: Division of International and Industrial Partnership	6
A2: Division of Soft Energy Science Research	2
A3: Section of promotion for international collaborative research	2
Total	10

The number of applicants to the collaboration program of Joint Usage/Research Center on Zero-Emission Energy

Category	2019
(A) Core research subject	38
(B) Research subject	52
(C) Facility usage	16
(D) Workshop	1
Total	107



▶ ACCESS

① By JR Line



② By Keihan Line



▶ INFORMATION



**Institute of Advanced Energy
Kyoto University**

Gokasho, Uji, Kyoto 611-0011 Japan
 Phone.+81-774-38-3400 FAX.+81-774-38-3411
 e-mail:office@iae.kyoto-u.ac.jp